



TA MODELS


1030, 1224, 1229, 1230, 1524

REPLACEMENT PARTS

Reference


When selecting and ordering parts, always refer to serial numbers on the name plate.

TA	○	○	○	○	○	○	○	○	○	○	○	○	○	Options
Discharge Size	○	○	○	○	○	○	○	○	○	○	○	○	○	MTR. Shafting
Nominal Imp. Dia.	○	○	○	○	○	○	○	○	○	○	○	○	○	Lubrication
Actual Imp. Dia.	○	○	○	○	○	○	○	○	○	○	○	○	○	Bearing Size
Seal Design	○	○	○	○	○	○	○	○	○	○	○	○	○	Working Pre.
Material of Construction	○	○	○	○	○	○	○	○	○	○	○	○	○	MTR. Frame



TA Series Horizontal Split Case Pumps

Mechanical Seal Parts & Internal Parts



					PUMP MODEL NUMBER					Remarks
Item No.	Qty.	ID No.	Part Number	Description	1030	1224	1229	1230	1524	
4	1	7	951-396RP	Casing Gasket Set	X					
4	1	3	951-412RP	Casing Gasket Set		X				
4	1	5	951-390RP	Casing Gasket Set			X			
4	1	8	951-398RP	Casing Gasket Set				X		
4	1	4	951-386RP	Casing Gasket Set					X	
5	1	7	950-1225BRP	Bronze Impeller	X					
5	1	3	950-1221BRP	Bronze Impeller		X				
5	1	5	950-1223BRP	Bronze Impeller			X			
5	1	8	950-1226BRP	Bronze Impeller				X		
5	1	4	950-1222BRP	Bronze Impeller					X	
9	1	1	950-1241RP	Impeller Key	X		X			
9	1	2	950-1242RP	Impeller Key		X		X	X	
10	2	6	951-158RP	Sleeve (SS)	X		X			
10	2	7	951-157RP	Sleeve (SS)		X		X	X	
10	2	6	950-1246BRP	Sleeve (Bronze)	X		X			
10	2	7	950-1247BRP	Sleeve (Bronze)		X		X	X	
15	2	1	951-176RP	Sleeve "O" Ring	X	X	X	X	X	
17	2	2	950-1252BRP	Bronze Wear Ring	X		X			
17	2	5	950-1255BRP	Bronze Wear Ring		X		X	X	
21	2	1	950-673RP	Standard Water Seal	X	X	X	X	X	*
21	2	1	950-676RP	Hi-Temp Water Seal	X	X	X	X	X	*
21	2	1	950-679RP	Ceramic Water Seal	X	X	X	X	X	*

Mechanical Seal Parts & Internal Parts (continued)

					PUMP MODEL NUMBER					
Item No.	Qty.	ID No.	Part Number	Description	1030	1224	1229	1230	1524	Remarks
60	2	1	950-962RP	Ball Bearing	X	X	X	X	X	
61	1	1	950-1264RP	Shaft (Stl.)	X		X			
61	1	1	950-1264SRP	Shaft (S.S.)	X		X			
61	1	1	950-1265RP	Shaft (Stl.)		X		X	X	
61	1	1	950-1265SRP	Shaft (S.S.)		X		X	X	
65	2	1	950-1214RP	Grease Fitting	X	X	X	X	X	
74		2	950-1270RP	Casing Stud	17/X		15/X			**
74	15	3	950-1271RP	Casing Stud		X		X	X	
74A	4	11	950-1275RP	Casing Stud	X		X			
74A	4	12	950-1276RP	Casing Stud		X		X	X	
75		1	950-1279RP	Casing Nut	21/X		19/X			**
75	19	2	950-1280RP	Casing Nut		X		X	X	
77	1	1	950-1282RP	Bearing Housing (NDE)	X	X	X	X	X	
78	1	1	950-1285RP	Bearing Housing (DE)	X	X	X	X	X	
79	2		950-965RP	“O” Ring	X		X			
79	2		950-966RP	“O” Ring		X		X	X	
82	2	1	950-1289RP	Oil Seal	X	X	X	X	X	
83	1	1	950-1292RP	Nut, Bearing Retainer	X	X	X	X	X	
85	2	1	950-1295RP	Shoulder Ring	X	X	X	X	X	
	1		951-1848RP	(CW) Rotating Elem. Assembly	X					*
	1		951-1849RP	(CW) Rotating Elem. Assembly		X				*
	1		951-1850RP	(CW) Rotating Elem. Assembly			X			*
	1		951-1851RP	(CW) Rotating Elem. Assembly				X		*
	1		951-1852RP	(CW) Rotating Elem. Assembly					X	*
	1		951-1870RP	(CCW) Rotating Elem. Assembly	X					*
	1		951-1871RP	(CCW) Rotating Elem. Assembly		X				*
	1		951-1872RP	(CCW) Rotating Elem. Assembly			X			*
	1		951-1873RP	(CCW) Rotating Elem. Assembly				X		*
	1		951-1874RP	(CCW) Rotating Elem. Assembly					X	*

** Number shown are quantities required. “X” is for pump model.
All bolts, lockwashers, plugs and coupler guard screws are hardware items.
*Impeller diameter must be specified.
*Bronze impeller and sleeve, carbon steel shaft and standard ni-resist seals.